2012 RED WING SHOES

WORK IS OUR WORK

FOR OVER 100 YEARS
RED WING SHOES®
HAS BEEN CRAFTING

PURPOSE-BUILT
FOOTWEAR.

FOR **SKILLED**
CRAFTSMEN,
WHO TAKE ***PRIDE***
IN THEIR JOBS.

PREMIUM QUALITY

WORK BOOTS & SHOES
WITH THE RIGHT

FEATURES
FIT & COMFORT.

RED WING SHOES®

RED WING SHOES®
WORK IS OUR WORK™.

TABLE OF CONTENTS

RED WING® FOOTWEAR 8-80

- ST AT NT Safety Toe Footwear 8-49
- Soft Toe Footwear 50-80

PURPOSE-BUILT COLLECTIONS 81-137

- Waterproof 81-91
- MT Metatarsal Guard 92-94
- Static-Dissipative 95-99
- Made-to-Order 100-105
- Women's 106-110
- Puncture Resistant 111-113
- Uniform / Tactical 114-120
- Made in U.S.A. 121-133
- Mining 134-137

WORX® FOOTWEAR 138-161

- ST AT NT Safety Toe Footwear 138-156
- Soft Toe Footwear 157-161

REFERENCE 162-217

- Technical Reference 162-207
- Boot Maintenance & Repair 208-213
- Ordering Information 214-215
- Index 216-217

PROTECTION AND COMFORT
WE BELIEVE YOU SHOULDN'T HAVE TO CHOOSE.

Style 4431
Page: 42



The Boa® closure system allows for quick on and off convenience at the turn of a dial and the click of a button. The reel allows customers to dial in the perfect lace tension with no pressure points.

Boa® is a registered trademark of Boa Technology, Inc.



Red Wing ForceShield™ technology provides amazing impact absorption. Made of a revolutionary thin, soft material, it offers flexible, comfortable protection from dangerous workplace drop and impact hazards while meeting ASTM standards.

HOW FORCESHIELD TECHNOLOGY WORKS:

Under normal conditions, its urethane molecules are at rest in the form of a flexible membrane. When impacted quickly at high stress rates, the molecules "freeze" like water turning to ice to absorb and dissipate up to 90% of the energy.

Look for these new styles with ForceShield™ technology

Style 4421
Page: 41

Style 4472
Page: 43

THE RED WING PROMISE OF COMFORT – GUARANTEED.

RED WING SHOES®
30 DAY
UNCONDITIONAL
COMFORT GUARANTEE

If during the first thirty (30) days immediately following your purchase you are not satisfied with the comfort of your Red Wing brand footwear for whatever reason, Red Wing will refund the purchase price to you, no questions asked, provided you still have your dated receipt of purchase. No adjustment will be given without the original receipt of purchase. You must return your footwear to the Red Wing Shoe dealer from which the footwear was purchased. Only one return per customer.

DYNAFORCE® INSOLES

PRESSURE CONTROL TO PROVIDE ALL DAY COMFORT AND SUPPORT.

SYSTEMATIC COMFORT: DynaForce® technology works like the human skeletal system by absorbing pressure and providing overall support and stability.

STOP THE PRESSURE: Cushioning + Pressure Control = Comfort. DynaForce® technology dramatically reduces underfoot pressure, blocking painful pressure points by redistributing them evenly across the foot while minimizing shock.

Look for these new styles with DynaForce® technology

Style 4483
Page: 44

Style 4484
Page: 44



SEE A DEMONSTRATION OF THESE TECHNOLOGIES IN ACTION ONLINE!

http://www.redwingsafety.com/content/safety-videos-technologies

View Red Wing's technology video series to watch our ForceShield demonstration as well as our other new technologies.

ForceShield™

DynaForce®

rwsc.co/techvid

THE STAMP OF THE HIGHEST HANDCRAFTED QUALITY

Starting with hides from U.S. raised cattle with minimal surface imperfections, we control every step of the process, using time-honored techniques to craft leather with natural beauty and unmatched durability. Leather uppers provide superior protection, and leather insoles mold to an individual's foot for superior comfort and fit. Our leathers are tested in our own laboratory to make sure they meet the demands of the toughest work sites.

We've identified the products that use Red Wing leather in the catalog. Look for this RW leather icon.

HEAT-RESISTANT OUTSOLES

Soles that have been designed and tested to perform on high heat surfaces. Soles identified as HRO are heat resistant to melting at a minimum of 475° Fahrenheit.

rwsc.co/videos

VIEW OUR VIDEO SERIES.

Scan the QR Code with your smart phone or visit: http://www.redwingsafety.com/content/safety-video-series

The Factory

Meet the team that crafts 5,000 pairs of boots with pride every day in Red Wing, MN.



Shoe Repair

Red Wing shoes are built to last, and our repair team makes sure they live on.



S.B. Foot Tanning Co.

The crew at S.B. Foot Tanning Co. in Red Wing, MN creates some of the finest leathers in the world.

Red Wing Product Testing Video

Red Wing Shoes product testing is the last quality check our products and materials undergo before they are introduced to our customers.

Crazy Horse Memorial

In 1948 a small crew of workers began sculpting an epic memorial from the blueprints of a larger than life vision. This is the story of five men against the mountain.



Hallett Docks

Every year Hallett Dock Company processes thousands of tons of raw materials for transit on the Great Lakes. See the team that makes it happen.

Find out what people are saying about Red Wing on Facebook & Twitter! http://www.facebook.com/RedWingShoes http://twitter.com/#!/RedWingShoes

NEW ACCESSORIES CATALOG: COMING JANUARY 2012.

The accessory portion of the catalog will now be shown as a separate catalog. Look for it in January 2012.

163 STYLES

SAFETY TOE

3 DIFFERENT OPTIONS OF

TOE PROTECTION

DIFFERENT MATERIALS,
SAME QUALITY PROTECTION.

ST

Steel Toe: Made of one of the most durable and dependable materials on earth, steel toe caps provide ultimate protection for the most hazardous environments.

AT

Aluminum Toe: Made from aluminum, these caps are 31% lighter than steel while still meeting the same safety standards.

NT

Non-Metallic Toe: Made from varying combinations of nylon, plastic, and fiberglass, this technology provides the protection of a steel toe cap without the inconvenience of tripping metal detectors.

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

3533 Men's Oxford

ST EH PR

UPPER: Full Grain, Water Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 801
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14

KING TOE SWEN-FLEX R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Black

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

4407 Men's Oxford

ST EH

UPPER: Full Grain, Water Resistant Brown Boomer Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 504
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: D 7-12,13,14 E 6-12,13 EEE 5-12,13

SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Odyssey SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

4408 Men's Oxford

ST EH

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 504
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14,15 EE 6-12,13 EEE 5-12

SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Odyssey SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

6602 Men's Oxford

ST

UPPER: Full Grain Clay Mustang Leather
FOOTBED: SD Foil/Felt Cushion
LAST: 201G
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: EE 7-12 EEE 6-12,13

Sole Resistance Chart

Urethane Wedge

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Good
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

6604 Men's Oxford

ST

UPPER: Full Grain Black Mustang Leather
FOOTBED: SD Foil/Felt Cushion
LAST: 201G
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: EE 6-12,13,14 EEE 6-12,13,14

Sole Resistance Chart

Urethane Wedge

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Good
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

6612 Men's Oxford

ST

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Leather Covered Foam
SHANK: Non-metallic
LAST: 201G
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14 EE 7-12,13

R | W LEATHER

Sole Resistance Chart

SD Urethane Bristol

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

6618 Men's Oxford

ST

UPPER: Full Grain, Water Resistant Black Yukon Leather
FOOTBED: FoamTech™ SD
LAST: 216
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 9-12,13,14 D 6-12,13,14,15 E 7-12 EEE 6-12,13,14

R | W LEATHER

Sole Resistance Chart

Maxum® Lite SD Cross Country

Slip	Better
Oil/Gas	Better
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

6633 Men's Oxford

ST EH

UPPER: Full Grain, Water Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 801
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14

KING TOE R | W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Black

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

6634 Men's Oxford

ST EH

UPPER: Full Grain Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 801
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TOE R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

6646 Men's Slip-On

ST EH

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Leather Covered Polyurethane
SHANK: H-Tech Stabilizer
LAST: 700
CONSTRUCTION: Strobel Stitched/Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13 D 7-12,13,14 EE 7-12,13

R|W LEATHER

Sole Resistance Chart

TPU-PU Omni Comfort

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

6647 Men's Slip-On

ST EH

UPPER: Full Grain Dark Brown Worn Saddle Leather
FOOTBED: Leather Covered Polyurethane
SHANK: H-Tech Stabilizer
LAST: 700
CONSTRUCTION: Strobel Stitched/Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13 D 7-12,13,14 EE 7-12,13

Sole Resistance Chart

TPU-PU Omni Comfort

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

6659 Men's Oxford

ST

UPPER: Full Grain Briar Round Up Leather
FOOTBED: FoamTech™ SD
LAST: 216
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13 D 8-12,13,14 E 8-12 EEE 8-12,13,14

Sole Resistance Chart

Maxum® Lite SD Cross Country

Slip	Better
Oil/Gas	Better
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

6700 Men's Slip-On

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Shoe Creme, Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13

R | W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

NEW

Available:
Spring 2012

6701 Men's Oxford

UPPER: Full Grain Brown Leather
FOOTBED: SD Cushion
SHANK: Non-metallic
LAST: 202
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14 EE 6-12 EEE 7-12

Sole Resistance Chart

Grip-Tec®

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

6702 Men's Slip-On

UPPER: Full Grain, Dark Brown Worn Saddle Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Shoe Creme, Leather Protector
SIZES: B 10-12,13,14 D 6-12,13,14,15 EE 8-12,13

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

6703 Men's Oxford

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13

R | W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

6704 **Men's** Oxford

UPPER: Full Grain, Dark Brown Worn Saddle Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 6-12,13,14,15 EE 8-12,13 H 8-12,13

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

8701 **Men's** Oxford

UPPER: Full Grain, Water Resistant Black Endura Leather
FOOTBED: SD Cushion
SHANK: Steel
LAST: 202
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: EE 6-12 EEE 7-12

Sole Resistance Chart

Grip-Tec®

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

6329 **Men's** Athletic

UPPER: Full Grain White Leather
FOOTBED: Removable Polyurethane SD
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14 EE 8-12,13

Sole Resistance Chart

Rubber-EVA Viper - Black-White

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

6337 **Men's** Athletic

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane SD
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 6-12,13,14,15,16 EE 8-12,13,14 H 8-12,13

Sole Resistance Chart

Rubber-EVA Viper - Black

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

6672 Men's Athletic

AT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

6691 Men's Athletic

AT EH

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Shoe Creme, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

MADE TO ORDER

2595 Men's Chukka

ST EH

UPPER: Full Grain, Water Resistant Brown Norseman Leather
LAST: 503
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: B 10-12,13 D 7-12,13,14 EE 8-12

vibram · R|W LEATHER

Sole Resistance Chart

Vibram® Gumlite Wedge

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	Yes

MADE IN THE USA

6662 Men's Chukka

ST

UPPER: Full Grain, Water Resistant Smoke Traction Leather
FOOTBED: FoamTech™ SD
LAST: 216
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, Mink Oil, Silicone
SIZES: B 9-12,13,14 D 7-12,13,14,15 E 8-12 EEE 7-12,13,14

R|W LEATHER

Sole Resistance Chart

Maxum® Lite SD Cross Country

Slip	Better
Oil/Gas	Better
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

6692 **Men's** Chukka

AT EH

UPPER: Full Grain Gaucho Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13 EE 8-12,13

Sole Resistance Chart

Rubber Ranger

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

6707 **Men's** Chukka

AT

UPPER: Full Grain Dark Brown Worn Saddle Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Shoe Creme, Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

NEW

Available:
Spring 2012

3510 **Men's** 6-inch Romeo

NT EH PR

UPPER: Full Grain, Water Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SWEN-FLEX® HRO R|W LEATHER

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

2205 **Men's** 6-inch Hiker Boot

AT EH

UPPER: Full Grain Mocha Crazy Horse Leather
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: D 8-12,13,14 EE 8-12,13

HRO

Sole Resistance Chart

Rubber-EVA Xplorer - Red

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN CHINA

Available:
Spring 2012

NEW

3501 Men's 5-inch Hiker Boot

NT EH PR

UPPER: Full Grain, Water Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, Shoe Creme
SIZES: D 7-12,13,14,15 E 8-12,13,14 EEE 8-12,13

SWEN-FLEX® HRO R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Rubber-PU Falcon

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No

Available:
Spring 2012

NEW

3502 Men's 5-inch Hiker Boot

NT EH PR

UPPER: Oiled Nubuck Dark Brown Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector
SIZES: D 7-12,13,14,15 E 8-12,13,14 EEE 8-12,13

SWEN-FLEX® HRO

MADE IN CHINA

Sole Resistance Chart

Rubber-PU Falcon

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No

6667 Men's 5-inch Hiker Boot

ST EH

UPPER: Full Grain, Waterproof Cloud Burst Oil Nubuck Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Strobel Stitched/Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®, Silicone
SIZES: EE 6-12,13,14

RW WATER PROOF HRO

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

Sole Resistance Chart

Extensity™ Rubber - Red

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

6668 Men's 5-inch Hiker Boot

ST EH

UPPER: Full Grain, Waterproof Cloud Burst Brown Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Strobel Stitched/Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®, Silicone
SIZES: EE 6 ½-12,13,14

RW WATER PROOF HRO

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

Sole Resistance Chart

Extensity™ Rubber - Red

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

6670 **Men's** 6-inch Hiker Boot

ST EH

UPPER: Waterproof Gray Leather Suede
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 220
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

RW WATERPROOF HRI

Sole Resistance Chart

Rubber-EVA Xplorer - Gray

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN CHINA

6674 **Men's** 6-inch Hiker Boot

AT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF vibram HRI R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

6680 **Men's** 5-inch Hiker Boot

NT EH

UPPER: Full Grain, Waterproof Black Edgewater Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: B 9-12,13,14,15 D 6-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATERPROOF HRI R|W LEATHER

Sole Resistance Chart

Extensity™ Rubber - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

6683 **Men's** 5-inch Hiker Boot

ST EH

UPPER: Full Grain, Waterproof Red Roan Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: B 9-12,13,14,15 D 6-12,13,14,15 EE 6-12,13,14 H 8-12,13

RW WATERPROOF HRI

Sole Resistance Chart

Extensity™ Rubber - Red

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

6684 Men's 5-inch Hiker Boot

ST EH

UPPER: Nubuck, Waterproof Sandstone Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14

RW WATERPROOF HRO

Sole Resistance Chart

Extensity™ Rubber - Red

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

6690 Men's 6-inch Hiker Boot

AT EH

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

6785 Men's 6-inch Hiker Boot

AT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF 3M Thinsulate Ultra INSULATION 400 gram vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

971 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Waterproof Black Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: Goodyear Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: D 7-12,13,14 EE 8-12,13

RW WATERPROOF vibram HRO

Sole Resistance Chart

Vibram® Lug TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

2206 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · 3M Thinsulate Ultra INSULATION 400 gram · SUPER•SOLE · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2220 Men's 6-inch Boot

NT EH

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TOE · vibram · HRI · R|W LEATHER

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black-Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

2223 Men's 6-inch Boot

ST EH

UPPER: Full Grain Black Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector, Shoe Creme
SIZES: A 10-12,13 B 9-12,13,14,15 C 9-12,13 D 6-6½,7-12,13,14,15,16
E 8-12,13 EE 5-6½,7-12,13,14,15 H 8-12,13

SUPER•SOLE · DYNA-F · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2226 Men's 6-inch Boot

ST EH

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: A 10-12,13 B 9-12,13,14,15 C 9-12,13 D 6-12,13,14,15,16 E 8-12,13
EE 5-12,13,14,15 H 8-12,13

SUPER•SOLE · DYNA-F · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2234 Men's 6-inch Boot

NT EH

UPPER: Full Grain, Water Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Shoe Creme, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

KING TOE R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Black

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2235 Men's 6-inch Boot

NT EH

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 7-12,13,14 H 8-12,13,14

KING TOE

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2240 Men's 6-inch Boot

NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF KING TOE R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2241 Men's 6-inch Boot

NT

UPPER: Full Grain Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: Leather Protector, NaturSeal®
SIZES: D 6-12,13,14 EE 8-12,13,14

KING TOE R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

2245 Men's 6-inch Boot

ST

UPPER: Full Grain, Water Resistant Mahogany Oro-iginal Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15,16 E 8-12,13 EE 6-7½,8-12,13 EEE 6-6½,7-12,13,14,15,16

SUPER•SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Diamond Lug SuperSole®

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

2246 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Waterproof Briar Conestoga Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

RW WATER PROOF 3M Thinsulate Ultra INSULATION 400 gram

MADE IN CHINA

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

2260 Men's 6-inch Boot

NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF 3M Thinsulate Ultra INSULATION 400 gram KING TOE R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

2263 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Amber Oil Slick Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 503
CONSTRUCTION: Goodyear Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 EEE 8-12,13

HRO R|W LEATHER

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Rubber-PU Scout

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

NEW

2296 Men's 6-inch Boot

AT EH

UPPER: Full Grain Red Oak Mesa Leather
FOOTBED: Removable Polyurethane
LAST: CC2
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: D 6-12,13,14 EE 7-12,13 H 8-12,13

HRO R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

2406 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: A 10-12,13,14 B 8-12,13,14,15 C 8-12,13 D 6-12,13,14,15,16 E 7-12,13 EE 6-12,13,14,15 H 7-12,13,14,15

2.0 SUPER-SOLE® R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE TO ORDER

82406 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 16,17,18 D 17,18 EE 16,17,18

2.0 SUPER-SOLE® R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

NEW

Available: Spring 2012

3506 Men's 6-inch Boot

NT EH PR

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATER PROOF KING TOE SWEN-FLEX® vibram HRO R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black-Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

3507 Men's 6-inch Boot

ST EH PR

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Shoe Creme, Leather Protector, NaturSeal®
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

SWEN-FLEX® 2.0 SUPER•SOLE® R|W LEATHER

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

3523 Men's 6-inch Boot

ST EH PR

UPPER: Full Grain Black Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Boot Oil, Leather Protector, Shoe Creme
SIZES: D 8-12,13,14 EE 8-12,13,14

SWEN-FLEX® SUPER•SOLE® R|W LEATHER REDBED®

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

3526 Men's 6-inch Boot

ST EH PR

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
MIDSOLE: Steel Plate
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Boot Oil, Leather Protector
SIZES: D 7-12,13,14 EE 7-12,13,14 H 8-12,13

SUPER•SOLE® R|W LEATHER REDBED®

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

3535 Men's 6-inch Boot

ST EH PR

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector
SIZES: D 7-12,13,14,15 EE 8-12,13,14

KING TOE® SWEN-FLEX®

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

MADE TO ORDER

4206 Men's 6-inch Boot

ST EH

UPPER: Full Grain Calico Brawny Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14

Sole Resistance Chart

Mini Lug SuperSole® 2.0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

NEW

4216 Men's 6-inch Boot

NT EH

UPPER: Full Grain, Waterproof Spice Tramper Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

4400 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Waterproof Merlot Mesa Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

Sole Resistance Chart

Vibram® Montana TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

4406 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 H 8-12,13

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

MADE TO ORDER

4425 Men's 6-inch Boot

ST EH

UPPER: Full Grain, Waterproof Calico Brawny Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 E 8-12,13 EEE 8-12,13,14

GORE-TEX · 3M Thinsulate Ultra Insulation 400 gram · SUPER•SOLE 2.0 · R|W Leather

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

4439 Men's 6-inch Boot

ST EH

UPPER: Full Grain Brown Chrome Leather
SHANK: Fiberglass
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: D 7-12,13 E 7-12,13 EEE 8-12

SUPER•SOLE · R|W Leather

Sole Resistance Chart

Diamond Lug SuperSole®

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

NEW

4490 Men's 6-inch Boot

AT EH

UPPER: Full Grain, Waterproof Gold Nubuck Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 694
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Mink Oil, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

RW Waterproof · 3M Thinsulate Ultra Insulation 400 gram · HRO

Sole Resistance Chart

Stars and Bars - Amber

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

4491 Men's 6-inch Boot

AT EH

UPPER: Full Grain, Waterproof Gaucho Crazy Horse Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 694
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, Mink Oil, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

RW Waterproof · 3M Thinsulate Ultra Insulation 400 gram · HRO

Sole Resistance Chart

Stars and Bars - Amber

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

Available:
Spring 2012

2202 Men's 8-inch Boot

ST EH

UPPER: Full Grain Red Brown Kayak and Gaucho Yuma Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

SUPER•SOLE R|W LEATHER

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

2211 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15,16 EE 7-12,13,14 H 8-12,13

RW WATER PROOF 3M Thinsulate Ultra INSULATION 600 gram SUPER•SOLE DYNA R|W LEATHER REDBED

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

2233 Men's 8-inch Boot

ST

UPPER: Full Grain, Water Resistant Velva Boomer Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75
CARE: Boot Oil, Leather Protector
SIZES: AA 10-12,13,14 A 10-12,13,14 B 8-12,13,14,15,16 C 8-12,13
D 5-12,13,14,15,16,17,18 E 6-12,13,14 EE 7-12,13,14 EEE 6-12,13,14,15

SUPER•SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

2238 Men's 8-inch Boot

ST EH

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: A 10-12,13,14 B 9-12,13,14,15 C 9-12,13 D 6-12,13,14,15,16
E 8-8½,9-12,13 EE 6-6½,7-12,13,14,15 H 8-12,13

SUPER•SOLE DYNA R|W LEATHER REDBED

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

2239 Men's 8-inch Boot

NT EH

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 7-12,13,14 H 8-12,13,14

KING TOE

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2244 Men's 8-inch Boot

NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · 3M Thinsulate Ultra INSULATION 400 gram · KING TOE · R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2264 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Amber Oil Slick Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 503
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 EEE 8-12,13

HRO · R|W LEATHER · CF

Sole Resistance Chart

Rubber-PU Scout

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2280 Men's 8-inch Boot

NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · KING TOE · R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2408 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 8-12,13,14,15 D 6-12,13,14,15,16 E 8-12,13 EE 7-12,13,14,15 H 8-12,13,14,15

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

82408 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 16,17,18 D 17,18 EE 16,17,18

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

2412 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 6-12,13,14,15 E 7-12,13 EEE 7-12,13,14,15

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

2414 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 E 7-12,13 EEE 7-12,13,14

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

2426 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13 D 7-12,13,14 EEE 8-12,13

GORE-TEX 3M Thinsulate Ultra INSULATION 400 gram 2.0 SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

NEW

2491 Men's 8-inch Boot

ST EH

UPPER: Brown Cordura®
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Silicone
SIZES: D 4-12,13,14,15 EE 6-12,13,14

RW WATER PROOF boa SUPER•SOLE

Sole Resistance Chart

Dual Density Mini Lug II

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

NEW

2492 Men's 8-inch Boot

NT EH

UPPER: Brown Cordura®
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Silicone
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF KING TOE boa vibram HRO

Sole Resistance Chart

Vibram® Galactic TC-4 Plus - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

3508 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: B 9½-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

SWEN-FLEX® 2.0 SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

3511 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13,14 H 8-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 600 gram · SWEN-FLEX® · SUPER+SOLE · R|W LEATHER

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

NEW

Available: Spring 2012

3512 Men's 8-inch Boot

NT EH PR

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATERPROOF · KING TOE · SWEN-FLEX® · vibram · HRO · R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

NEW

Available: Spring 2012

3527 Men's 9-inch Boot

AT EH PR

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 610
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14

GORE-TEX · SWEN-FLEX® · vibram · HRO · R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Vibram® Lug Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

3528 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
MIDSOLE: Steel Plate
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Boot Oil, Leather Protector
SIZES: D 8-12,13,14 EE 8-12,13,14 H 8-12,13

SUPER+SOLE · R|W LEATHER · REDBED

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

3539 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector
SIZES: D 7-12,13,14,15 EE 8-12,13,14

SWEN-FLEX® KING TOE

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

NEW

Available:
Spring 2012

3548 Men's 9-inch Boot

NT EH PR

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATER PROOF 3M Thinsulate Ultra INSULATION 800 gram KING TOE SWEN-FLEX® Vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black-Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

3568 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Boot Oil, Leather Protector
SIZES: D 8-12,13,14 EE 8-12,13,14

SWEN-FLEX® SUPER•SOLE R|W LEATHER REDBED

Sole Resistance Chart

Mesa SuperSole® Wedge

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

MADE TO ORDER

4208 Men's 8-inch Boot

ST EH

UPPER: Full Grain Calico Brawny Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14

2.0 SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Mini Lug SuperSole® 2.0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

4273 Men's 8-inch Boot

ST EH PR

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14

Zipper kits for this footwear style are available for purchase (96227).
08 fits sizes 4-6½, 10 fits sizes 7-9½, 11 fits sizes 10+.

RW WATERPROOF · SWEN-FLEX · R|W LEATHER

Sole Resistance Chart

Dual Density Mini Lug II

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

4401 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Waterproof Merlot Mesa Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Montana TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

4410 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Rambo Leather
SHANK: Fiberglass
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: D 8-12,13,14 EE8-12,13

3M Thinsulate Ultra INSULATION 400 gram · SUPER•SOLE · R|W LEATHER

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

4414 Men's 8-inch Boot

ST EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATERPROOF · SUPER•SOLE · DYNA-FLEX · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

4451 **Men's** 8-inch Boot

ST EH

UPPER: Full Grain, Water Resistant Briar Pit Stop Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 7-12,13,14 EE 8-12,13

SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

4473 **Men's** 8-inch Boot

ST PR

UPPER: Full Grain, Waterproof Black Star Leather
MIDSOLE: Steel Flex®
SHANK: Fiberglass
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, PR
CARE: Shoe Creme, Leather Protector, NaturSeal®
SIZES: B 9-12,13,14 D 4-12,13,14 E 8-12 EEE 8-12

Zipper kits for this footwear style are available for purchase (96226).
08 fits sizes 4-6½, 10 fits sizes 7-9½, 11 fits sizes 10+.

SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

NEW

4474 **Men's** 8-inch Boot

AT EH

UPPER: Full Grain Dark Brown Pueblo Leather
FOOTBED: Nylon Covered Polyurethane
LAST: 594
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14 EE 7-12,13,14

Vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Alpha Wedge TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

2218 **Men's** 9-inch Logger Boot

ST EH

UPPER: Full Grain, Water Resistant Black Boomer Leather
SHANK: Lineman
LAST: 50
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 6-12,13,14,15,16 E 8-12,13 EE 8-12,13,14

Vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Logger

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

2221 Men's 10-inch Lineman Boot

ST EH

UPPER: Full Grain, Water Resistant Copper Worksmith Leather
SHANK: Lineman
LAST: 50
CONSTRUCTION: Goodyear Leather Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 7-12,13 EE 8-12

vibram HRO R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Vibram® Lineman

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

2292 Men's 10-inch Logger Boot

ST EH

UPPER: Full Grain, Waterproof Stormtough Gaucho Leather
SHANK: Lineman
LAST: 50
CONSTRUCTION: Goodyear Leather Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 9-12,13,14 D 8-12,13,14 E 8-12 EEE8-12,13

GORE-TEX 3M Thinsulate INSULATION 200 gram vibram HRO R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Vibram® Tacoma

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE TO ORDER

2450 Men's 16-inch Lineman Boot

ST EH

UPPER: Full Grain, Water Resistant Copper Worksmith Leather
SHANK: Lineman
LAST: 50
CONSTRUCTION: Goodyear Leather Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: E 8-12,13

vibram HRO R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Vibram® Lineman

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

4416 Men's 9-inch Logger Boot

ST EH

UPPER: Full Grain, Waterproof Black Scout Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman
LAST: 634
CONSTRUCTION: Goodyear Leather Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF 3M Thinsulate Ultra INSULATION 400 gram vibram HRO

MADE IN CHINA

Sole Resistance Chart

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

4417 Men's 9-inch Logger Boot

ST EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman
LAST: 634
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 9-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

4418 Men's 8-inch Logger Boot

ST EH

UPPER: Full Grain, Water Resistant Brown Chrome Leather
SHANK: Lineman
LAST: 50
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 6-12,13,14,15 EE 7-12,13,14

3M Thinsulate Ultra INSULATION 400 gram · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Logger

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

4420 Men's 9-inch Logger Boot

ST EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman
LAST: 634
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

988 Men's 10-inch Pull-On Boot

ST EH

UPPER: Full Grain, Water Resistant Black Scout Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 696
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

vibram · HRO

Sole Resistance Chart

Vibram® Lug TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

Available:
Spring 2012

2201 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain Red Brown Kayak and Gaucho Yuma Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

SUPER-SOLE R|W LEATHER

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

2214 Men's 11-inch Pull-On Boot

ST

UPPER: Full Grain, Water Resistant Velva Boomer Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 515
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75
CARE: Boot Oil, Leather Protector
SIZES: D 7-12,13 E 8-12 EEE 8-12,13

vibram HRO R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Vibram® Laramie

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

2230 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Waterproof Raindance Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF SUPER-SOLE R|W LEATHER

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

2231 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Water Resistant Velva Boomer Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: AA 10-12,13,14 A 10-12,13 B 4-12,13,14,15,16 C 8-12,13
D 5-12,13,14,15,16 E 6-12,13,14 EE 7-12,13,14,15 EEE 6-12,13,14

SUPER-SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

MADE TO ORDER

82231 **Men's** 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Water Resistant Velva Boomer Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 17,18 D 17,18 EE 16,17,18

SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

2249 **Men's** 10-inch Pull-On Boot

ST EH

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14,15 D 6-6½,7-12,13,14,15 EE 6-6½,7-12,13,14,15 H 8-12,13

SUPER•SOLE DYNA R|W LEATHER

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2254 **Men's** 11-inch Pull-On Boot

ST EH

UPPER: Full Grain Durango Dirty Dog Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 7-12,13,14 EE 7-12,13

SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

2259 **Men's** 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Water Resistant Rambo Leather
SHANK: Fiberglass
LAST: 527
CONSTRUCTION: SuperSole® Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 7-12,13,14 EE 8-12,13

SUPER•SOLE R|W LEATHER

Sole Resistance Chart

Sure-Trak® SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

2270 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · SUPER•SOLE · R|W LEATHER

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2274 Men's 11-inch Pull-On Boot

NT EH

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TOE

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2405 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Water Resistant Mahogany Oro-iginal Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 6-12,13,14 H 8-12,13

2.0 SUPER•SOLE · R|W LEATHER

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

NEW

2499 Men's 12-inch Pull-On Boot

ST EH

UPPER: Brown Cordura®
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: Direct Attach Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
SIZES: D 7-12,13,14,15 EE 8-12,13

RW WATER PROOF

Sole Resistance Chart

Dual Density Mini Lug II

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

3505 Men's 11-inch Pull-On Boot

ST EH PR

UPPER: Full Grain, Water Resistant Mahogany Oro-iginal Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13 H 8-12,13

SUPER•SOLE 2.0 · SWEN-FLEX · R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE TO ORDER

4210 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain Calico Brawny Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14

SUPER•SOLE 2.0 · R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Mini Lug SuperSole® 2.0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

4212 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Waterproof Gaucho Crazy Horse and Black Soggy Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 200-3
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

RW WATER PROOF · HRO · R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Rubber-PU Barbed Wire

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

NEW

4296 Men's 9-inch Pull-On Boot

AT EH

UPPER: Full Grain Red Oak Mesa Leather
FOOTBED: Removable Polyurethane
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 6-12,13,14 EE 7-12,13

HRO · R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

4441 Men's 11-inch Pull-On Boot

ST

UPPER: Full Grain, Water Resistant Velva Boomer Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75
CARE: Boot Oil, Leather Protector
SIZES: D 6-12,13,14 EE 7-12,13,14

3M Thinsulate Ultra INSULATION 400 gram · SUPER•SOLE · R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

4445 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Waterproof Calico Brawny Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · 3M Thinsulate Ultra INSULATION 400 gram · SUPER•SOLE · R|W LEATHER

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

4470 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain, Water Resistant Briar Pit Stop Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 6½-12,13,14,15 E 8-11 EE 7-12,13,14

SUPER•SOLE · R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

4471 Men's 11-inch Pull-On Boot

ST EH

UPPER: Full Grain Black Star Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Shoe Creme, NaturSeal®, Leather Protector
SIZES: B 9-12,13,14 D 6½-7,7½-12,13,14,15 E 8-11 EE 7-7½,8-12,13,14

SUPER•SOLE · R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

NEW

3049 **Men's** 17-inch Pac Boot

NT

UPPER: Polyurethane Coated Waterproof Black Leather and Stretch Airmesh Nylon
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 222
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, SD
CARE: NaturSeal®
SIZES: EE 8,9,10,11,12,13,14 (whole sizes only)

3M Thinsulate Ultra INSULATION 1000 gram

Sole Resistance Chart

Vibram® Rubber-PU Apex Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	No

MADE IN CHINA

METGUARD

NEW

3530 **Men's** 8-inch Boot

NT EH PR MT

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATER PROOF · KING TOE · SWEN-FLEX® · R|W LEATHER

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black-Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

4421 **Men's** 6-inch Boot

NT EH MT

UPPER: Full Grain Crazyhorse Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

FORCESHIELD

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

NEW

4422 **Men's** 8-inch Boot

NT EH MT

UPPER: Full Grain Crazyhorse Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

FORCESHIELD

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

Available:
Spring 2012

NEW

4431 Men's 6-inch Boot

NT EH MT

UPPER: Abrasion Resistant Nylon and TPU
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: CH-691CT
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Silicone
SIZES: D 7-12,13,14 EE 8-12,13

RW WATER PROOF · boa · FORCESHIELD

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

NEW

4433 Men's 6-inch Boot

ST EH MT

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, Mink Oil, NaturSeal®
SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATER PROOF · SUPER•SOLE · FORCESHIELD · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

NEW

4435 Men's 8-inch Boot

ST EH MT

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, Mink Oil, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATER PROOF · SUPER•SOLE · FORCESHIELD · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

NEW

4436 Men's 11-inch Pull-On Boot

ST EH MT

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 699
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, Mink Oil, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · SUPER•SOLE · FORCESHIELD · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

NEW

Available:
Spring 2012

4440 Men's 8-inch Boot

NT EH MT

UPPER: Abrasion Resistant Nylon and TPU
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: CH-691CT
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Silicone
SIZES: D 7-12,13,14 EE 8-12,13

RW WATER PROOF · boa · FORCESHIELD

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

NEW

Available:
Spring 2012

4449 Men's 11-inch Pull-On Boot

NT EH MT

UPPER: Abrasion Resistant Nylon and TPU
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: SF-691
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Silicone
SIZES: D 7-12,13,14 EE 8-12,13

RW WATER PROOF · FORCESHIELD

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

4456 Men's 6-inch Boot

NT EH MT

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector
SIZES: D 7-12,13,14,15 EE 8-12,13,14

KING TOE

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

NEW

4472 Men's 6-inch Hiker Boot

NT EH MT

UPPER: Full Grain, Waterproof Black Edgewater Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: B 9-12,13,14,15 D 6-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · FORCESHIELD · HRI · R|W LEATHER

Sole Resistance Chart

Extensity™ Rubber - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

4479 Men's Oxford

NT EH MT

UPPER: Full Grain Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 801
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

KING TOE FORCESHIELD R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

NEW

Available:
Spring 2012

4483 Men's 6-inch Boot

ST EH MT

UPPER: Full Grain Autumn Brown Timberjack Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 6-12,13,14,15 H 7-12,13,14,15

DYNALITE HRO R|W LEATHER CF

MADE IN THE USA

Sole Resistance Chart

Decathlon

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

NEW

Available:
Spring 2012

4484 Men's 8-inch Boot

ST EH MT

UPPER: Full Grain Autumn Brown Timberjack Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: NaturSeal® Leather Protector
SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 6-12,13,14,15 H 7-12,13,14,15

DYNALITE HRO R|W LEATHER CF

MADE IN THE USA

Sole Resistance Chart

Decathlon

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

4499 Men's 10-inch Boot

ST EH MT

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF vibram HRO R|W LEATHER CF

MADE IN CHINA

Sole Resistance Chart

Vibram® Montana TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

5686 **Men's** 6-inch Boot

ST EH MT

UPPER: Full Grain Dark Brown Pueblo Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 703
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, Boot Oil
SIZES: M 7-12,13,14 WW 8-12,13,14

vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Alpha TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

5889 **Men's** 8-inch Boot

ST EH MT

UPPER: Full Grain Dark Brown Pueblo Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 703
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F 2413-11, M I/75 C/75, EH, Mt/75
CARE: Leather Protector, Boot Oil
SIZES: M 7-12,13,14 WW 8-12,13,14

vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Alpha TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

WOMEN'S

2321 **Women's** Slip-On

AT

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, F I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

R|W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

2322 **Women's** Slip-On

AT

UPPER: Full Grain Brown Akiba Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, F I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

2323 Women's Oxford

AT

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, F I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

R | W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

2324 Women's Oxford

AT

UPPER: Full Grain Brown Akiba Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F 2413-11, F I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

2382 Women's Oxford

ST

UPPER: Full Grain, Water Resistant Black Nature Soft Leather
FOOTBED: SD Foil/Felt Cushion
SHANK: Steel
LAST: 323
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, F I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: D 4-10

Sole Resistance Chart

Tuffy SD Urethane

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2383 Women's Oxford

ST

UPPER: Full Grain Mahogany Bruiser Leather
FOOTBED: SD Foil/Felt Cushion
SHANK: Steel
LAST: 323
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, F I/75 C/75, SD
CARE: Shoe Creme
SIZES: D 4-10

Sole Resistance Chart

Tuffy SD Urethane

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

NEW

2334 **Women's** Athletic

AT EH

UPPER: Full Grain White Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

Sole Resistance Chart

Rubber-EVA Viper - White

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

2337 **Women's** Athletic

AT

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane SD
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, F I/75 C/75, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

Sole Resistance Chart

Rubber-EVA Viper - Black

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

2375 **Women's** 6-inch Hiker Boot

AT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 6-10,11 D 4-10

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

2380 **Women's** 5-inch Hiker Boot

NT EH

UPPER: Full Grain, Waterproof Black Edgewater Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: B 5-10 D 5-10 EE 6-10

Sole Resistance Chart

Extensity™ Rubber - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

2691 Women's 6-inch Hiker Boot

ST EH

UPPER: Nubuck, Waterproof Brown Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Strobel Stitched/Cement

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 5-10,11

RW WATER PROOF · 3M Thinsulate Ultra INSULATION 400 gram · HRO

Sole Resistance Chart

Extensity™ XL Rubber

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

NEW

Available:
Spring 2012

3540 Women's 5-inch Boot

NT EH PR

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, F I/75 C/75, EH, CSA Grade 1, ESR Rated, PR
CARE: Leather Protector, NaturSeal®
SIZES: B 5-10,11 D 5-10 EE 6-10

RW WATER PROOF · KING TOE · SWEN-FLEX® · Vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black-Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

2326 Women's 6-inch Boot

ST EH

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 100
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 6-10 D 6-10 EE 6½,7-10

SUPER-SOLE · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

2327 Women's 5-inch Boot

ST EH

UPPER: Full Grain, Waterproof Spice Tramper Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 6-10,11 D 6-10

RW WATER PROOF

Sole Resistance Chart

PU Cascade I

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

2340 Women's 5-inch Boot

NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 5-10,11 D 5-10 EE 6-10

RW WATER PROOF · KING TOE · R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

2381 Women's 8-inch Boot

NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F 2413-11, F I/75 C/75, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 6-10,11 D 6-10

RW WATER PROOF · KING TOE · R|W LEATHER

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

NEW

2325 Women's 5-inch Hiker Boot

NT EH MT

UPPER: Full Grain, Waterproof Black Edgewater Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 697
CONSTRUCTION: Cement

RATING: ASTM F 2413-11, F I/75 C/75, EH, Mt/75
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: B 5-10 D 5-10 EE 6-10

RW WATER PROOF · FORCESHIELD · HRO · R|W LEATHER

Sole Resistance Chart

Extensity™ Rubber - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

117 STYLES

SOFT TOE

PURPOSE-BUILT
PROTECTION
AGAINST A VARIETY OF
WORKPLACE HAZARDS.

MANY STYLES MEET NEW SOFT TOE SAFETY STANDARDS.

ASTM F 2892-11:

Refers to the ASTM Standard Specification for Performance Requirements for Soft Toe Protective Footwear (Non-Safety/Non-Protective Toe).
Refer to page 167 for full description.

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

MADE TO ORDER

105 **Men's** Oxford

UPPER: Full Grain, Water Resistant Brown Boomer Leather
FOOTBED: Cambrelle® Covered Urethane
SHANK: Fiberglass
LAST: 504
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13 C 10-12,13 D 6-12,13,14,15 E 7-12,13,14 EE 7-12,13,14 H 8-12,13

SUPER•SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Odyssey SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE TO ORDER

107 **Men's** Oxford

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Cambrelle® Covered Urethane
SHANK: Fiberglass
LAST: 504
CONSTRUCTION: SuperSole® Welt

CARE: Shoe Creme, Leather Protector
SIZES: B 9-12,13 C 10-12,13 D 5-12,13,14,15,16 E 7-12,13,14 EE 6-12,13,14,15 H 6-12,13,14

SUPER•SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Odyssey SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

133 **Men's** Oxford

EH

UPPER: Full Grain, Water Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 801
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, Shoe Creme, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TOE R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Black

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

134 **Men's** Oxford

EH

UPPER: Full Grain Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 801
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

KING TOE R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

4070 Men's Oxford

UPPER: Full Grain Black Leather
FOOTBED: Polyurethane
SHANK: Non-metallic
LAST: RDS06
CONSTRUCTION: Cement

CARE: Shoe Creme, Leather Protector
SIZES: B 9-12,13 D 7-12,13,14,15,16 EE 8-12,13

Sole Resistance Chart

Dante

Slip	Best
Oil/Gas	Good
Chemicals	Better
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

4074 Men's Oxford

UPPER: Full Grain Black Leather
FOOTBED: Polyurethane
SHANK: Non-metallic
LAST: RDS06
CONSTRUCTION: Cement

CARE: Shoe Creme, Leather Protector
SIZES: B 9-12,13 D 7-12,13,14,15,16 EE 8-12,13

Sole Resistance Chart

Dante

Slip	Best
Oil/Gas	Good
Chemicals	Better
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

8618 Men's Oxford

UPPER: Full Grain Black Yukon Leather
FOOTBED: FoamTech™ SD
LAST: 216
CONSTRUCTION: Cement

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 9-12,13,14 D 6-12,13,14,15 E 7-12 EEE 6-12,13,14

R | W LEATHER

Sole Resistance Chart

Maxum® Lite SD Cross Country

Slip	Better
Oil/Gas	Better
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

8636 Men's Oxford

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Leather Covered Polyurethane
SHANK: H-Tech Stabilizer
LAST: 701
CONSTRUCTION: Strobel Stitched/Cement

CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13

R | W LEATHER

Sole Resistance Chart

TPU-PU Omni Comfort

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

8637 **Men's** Oxford

UPPER: Full Grain, Water Resistant Dark Brown Worn Saddle Leather
FOOTBED: Leather Covered Polyurethane
SHANK: H-Tech Stabilizer
LAST: 701
CONSTRUCTION: Strobel Stitched/Cement

CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 8-12,13,14 EE 8-12,13

Sole Resistance Chart

TPU-PU Omni Comfort

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

8700 **Men's** Slip-On

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 225
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13

R | W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

8702 **Men's** Slip-On

UPPER: Full Grain Dark Brown Worn Saddle Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 225
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

8703 **Men's** Oxford

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 225
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13 H 8-12,13

R | W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

8704 **Men's** Oxford

UPPER: Full Grain Dark Brown Worn Saddle Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 225
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 6-12,13,14,15 EE 8-12,13 H 8-12,13

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

51024 **Men's** Oxford

UPPER: Full Grain, Waterproof Musk Leather
FOOTBED: Memory Foam
SHANK: Steel
LAST: JVC1-973-6L
CONSTRUCTION: Cement

CARE: Shoe Creme, Leather Protector, NaturSeal®
SIZES: N 9-12,13 M 8-12,13,14 W 8-12,13,14

RW WATER PROOF

Sole Resistance Chart

Byron

Slip	Better
Oil/Gas	Good
Chemicals	Good
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

8329 **Men's** Athletic

UPPER: Full Grain White Leather
FOOTBED: Removable Polyurethane SD
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 6-12,13,14,15,16 E 8-12,13,14 H 8-12,13

Sole Resistance Chart

Rubber-EVA Viper - Black-White

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

8337 **Men's** Athletic

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane SD
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 10-12,13,14 D 6-12,13,14,15,16 EE 8-12,13,14 H 8-12,13

Sole Resistance Chart

Rubber-EVA Viper - Black

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

595 **Men's** Chukka

UPPER: Full Grain, Water Resistant Brown Norseman Leather
LAST: 210
CONSTRUCTION: Goodyear Leather Welt
CARE: Leather Protector
SIZES: B 9-12,13 D 6-12,13,14 EE 8-12

R | W LEATHER

Sole Resistance Chart

Vibram® Gumlite Wedge

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

2143 **Men's** Chukka

UPPER: Full Grain, Water Resistant Brown Norseman Leather
LAST: 81
CONSTRUCTION: Cement
CARE: Leather Protector
SIZES: C 8-12,13 E 6-12,13,14 EEE 7-12

R | W LEATHER

Sole Resistance Chart

Cushion Crepe Wedge

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Good
Heat	Good
Non-Marking	Yes

MADE IN THE USA

2156 **Men's** Chukka

UPPER: Full Grain, Water Resistant Hill Fire Leather
FOOTBED: Cambrelle® Covered Urethane
SHANK: Steel
LAST: 323
CONSTRUCTION: Goodyear Leather Welt
CARE: Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13 H 8-12

R | W LEATHER

Sole Resistance Chart

S.C. Much II Urethane

Slip	Better
Oil/Gas	Better
Chemicals	Better
Abrasions	Good
Heat	Good
Non-Marking	Yes

MADE IN THE USA

4333 **Men's** Chukka

UPPER: Full Grain, Waterproof Musk Leather
FOOTBED: Removable EVA
SHANK: Steel
LAST: JVC973-6H
CONSTRUCTION: Cement
CARE: NaturSeal®, Shoe Creme, Leather Protector
SIZES: N 9-12,13 M 8-12,13,14 W 8-12,13,14

RW WATER PROOF

Sole Resistance Chart

Nevis

Slip	Better
Oil/Gas	Good
Chemicals	Good
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

4613 **Men's** Chukka

UPPER: Full Grain Driftwood Leather
FOOTBED: Mesh and Leather Covered Polyurethane
SHANK: Non-metallic
LAST: RDS03
CONSTRUCTION: Opanka

CARE: Leather Protector
SIZES: B 9-12,13 D 7-12,13,14,15 EE 8-12,13

Sole Resistance Chart

Bemidji

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

8662 **Men's** Chukka

UPPER: Full Grain, Water Resistant Smoke Traction Leather
FOOTBED: FoamTech™ SD
LAST: 216
CONSTRUCTION: Cement

RATING: ASTM F2892-11, SD
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13 D 8-12,13,14 E 9-12 EEE 8-12,13,14

R|W LEATHER

Sole Resistance Chart

Maxum® Lite SD Cross Country

Slip	Better
Oil/Gas	Better
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

8692 **Men's** Chukka

EH

UPPER: Full Grain Gaucho Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13 EE 8-12,13

Sole Resistance Chart

Rubber Ranger

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

205 **Men's** 6-inch Hiker Boot

EH

UPPER: Full Grain Mocha Crazy Horse Leather
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 223
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector
SIZES: D 8-12,13,14 EE 8-12,13

HRO

Sole Resistance Chart

Rubber-EVA Xplorer - Red

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

8670 **Men's** 5-inch Hiker Boot

EH

UPPER: Waterproof Gray Leather Suede
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 223
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

RW WATER PROOF HRI

Sole Resistance Chart

Rubber-EVA Xplorer - Gray

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN CHINA

8672 **Men's** Hiker Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 223
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF vibram HRI R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

8675 **Men's** 5-inch Hiker Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 223
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF vibram HRI R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

8683 **Men's** 5-inch Hiker Boot

EH

UPPER: Full Grain, Waterproof Red Roan Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: TC-Tech
LAST: 698
CONSTRUCTION: Strobel Stitched/Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, Shoe Creme, NaturSeal®
SIZES: B 10-12,13,14,15 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF HRI

Sole Resistance Chart

Extensity™ Rubber - Red

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

8685 Men's 5-inch Hiker Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 223
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

8690 Men's 5-inch Hiker Boot

EH

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 223
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

8691 Men's Hiker Boot

EH

UPPER: Full Grain, Waterproof Black Star Leather and Black Abrasion Resistant Nylon
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 223
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Leather Protector, Shoe Creme, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

202 Men's 6-inch Boot

UPPER: Full Grain, Water Resistant Copper Worksmith Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 325
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 6-12,13,14,15,16 E 7-12,13 EE 7-12,13,14 H 8-12,13

SUPER-SOLE · R|W LEATHER

Sole Resistance Chart

Odyssey SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

NEW

296 **Men's** 6-inch Boot

EH

UPPER: Full Grain Red Oak Mesa Leather
FOOTBED: Removable Polyurethane
LAST: CC2
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 6-12,13,14 EE 7-12,13 H 8-12,13

R|W LEATHER HRO

Sole Resistance Chart

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

405 **Men's** 6-inch Boot

EH

UPPER: Full Grain, Waterproof Red Oak Mesa Leather
FOOTBED: Nylon Covered Polyurethane
LAST: 325
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF R|W LEATHER

Sole Resistance Chart

Rubber-Blown Rubber Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

406 **Men's** 6-inch Boot

EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATER PROOF SUPER-SOLE DYNA R|W LEATHER REDBED

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

420 **Men's** 6-inch Boot

EH

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

KING TOE Vibram HRO R|W LEATHER

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black-Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

432 Men's 6-inch Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · 3M Thinsulate Ultra INSULATION 400 gram · KING TOE · R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

435 Men's 6-inch Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATER PROOF · KING TOE · R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

606 Men's 6-inch Boot

EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: A 10-12,13,14 B 8-12,13,14,15 C 8-12,13 D 6-12,13,14,15,16 E 7-12,13
EE 6-12,13,14,15 H 7-12,13,14,15

2.0 SUPER-SOLE · R|W LEATHER · CF

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE TO ORDER

88606 Men's 6-inch Boot

EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 16,17,18 D 17,18 EE 16,17,18

2.0 SUPER-SOLE · R|W LEATHER · CF

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

607 Men's 6-inch Boot

EH

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Shoe Creme, Leather Protector, NaturSeal®
SIZES: A 10-12,13,14 B 8-12,13,14,15 C 8-12,13 D 6-6½,7-12,13,14,15,16 E 7-12,13 EE 6-7½,8-12,13,14,15 H 7-7½,8-12,13,14,15

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

676 Men's 6-inch Boot

EH

UPPER: Full Grain Calico Brawny Leather
FOOTBED: ComfortForce®
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

Sole Resistance Chart

SuperSole® 2.0 Wedge

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

875 Men's 6-inch Boot

UPPER: Full Grain Oro-iginal Leather
LAST: 23
CONSTRUCTION: Goodyear Leather Welt

CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13,14 D 4-12,13,14,15 E 4-11 EE 6-12,13

Sole Resistance Chart

Traction Tred Cushion Crepe Wedge

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

88875 Men's 6-inch Boot

UPPER: Full Grain Oro-iginal Leather
LAST: 23
CONSTRUCTION: Goodyear Leather Welt

CARE: Boot Oil, Leather Protector
SIZES: D 16,17,18,19,20

Sole Resistance Chart

Traction Tred Cushion Crepe Wedge

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	Yes

MADE IN THE USA

923 Men's 6-inch Boot

EH

UPPER: Full Grain Black Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector, Shoe Creme
SIZES: A 10-12,13,14 B 9-9½,10-12,13,14,15 C 9-12,13 D 6-6½,7-12,13,14,15,16 E 8-12,13 EE 6-7½,8-12,13,14,15 H 8-12,13

SUPER-SOLE DYNA-F R|W LEATHER REDBED

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

926 Men's 6-inch Boot

EH

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: A 10-12,13,14 B 9-12,13,14,15 C 9-12,13 D 6-12,13,14,15,16 E 8-12,13 EE 6-12,13,14,15 H 8-12,13

SUPER-SOLE DYNA-F R|W LEATHER REDBED

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

952 Men's 6-inch Boot

UPPER: Full Grain, Water Resistant Velva Boomer Leather
SHANK: Steel
LAST: 326
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 8-12,13,14,15 D 7-12,13,14 E 8-12 EEE 8-12,13

SUPER-SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Chevron SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

963 Men's 6-inch Boot

EH

UPPER: Full Grain, Water Resistant Amber Oil Slick Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 323
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-9½,10-12,13,14 D 7-12,13,14,15 EE 7-7½,10-12,13,14 H 8-12

HRO R|W LEATHER CF

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Rubber-PU Scout

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

996 Men's 6-inch Boot

UPPER: Full Grain, Water Resistant Acorn Hillfire Leather
FOOTBED: Removable ComfortForce®
SHANK: Steel
LAST: 323
CONSTRUCTION: Goodyear Leather Welt

CARE: Boot Oil, Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 8-12,13,14 EE 8-12,13

Sole Resistance Chart

Vibram® Pioneer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

1200 Men's 6-inch Boot

EH

UPPER: Full Grain, Waterproof Merlot Mesa Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

Sole Resistance Chart

Vibram® Montana TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

1206 Men's 6-inch Boot

EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

NEW

1216 Men's 6-inch Boot

EH

UPPER: Full Grain Spice Tramper Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Boot Oil
SIZES: D 7-12,13,14,15 EE 8-12,13,14

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

1246 Men's 6-inch Boot

EH

UPPER: Full Grain, Waterproof Cocoa Tramper Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram

Sole Resistance Chart

Rubber-PU Auger - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

1421 Men's 6-inch Boot

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 325
CONSTRUCTION: SuperSole® Welt

CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13 EE 8-12,13 H 8-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · SUPER•SOLE · R|W LEATHER

Sole Resistance Chart

Deep Lug SuperSole® - Amber

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

MADE TO ORDER

1425 Men's 6-inch Boot

EH

UPPER: Full Grain, Waterproof Calico Brawny Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 E 8-12,13 EEE 8-12,13,14

GORE-TEX · 3M Thinsulate Ultra INSULATION 400 gram · 2.0 SUPER•SOLE · R|W LEATHER

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

2126 Men's 6-inch Boot

UPPER: Full Grain, Water Resistant Brown Norseman Leather
SHANK: Steel
LAST: 81
CONSTRUCTION: Cement

CARE: Leather Protector
SIZES: D 6½-12,13 E 7½-11 EE 7-12

R|W LEATHER

Sole Resistance Chart

Cushion Mahogany

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	No

MADE IN THE USA

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

402 **Men's** 8-inch Boot

UPPER: Full Grain, Water Resistant Copper Worksmith Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 325
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15 E 8-12,13 EE 8-12,13 H 8-12,13

SUPER•SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Odyssey SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

411 **Men's** 8-inch Boot

EH

UPPER: Full Grain, Waterproof Red Oak Mesa Leather
FOOTBED: Nylon Covered Polyurethane
LAST: 325
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATER PROOF R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Rubber-Blown Rubber Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Good
Non-Marking	Yes

414 **Men's** 8-inch Boot

EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14

RW WATER PROOF SUPER•SOLE DYNA R|W LEATHER REDBED

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

427 **Men's** 9-inch Boot

EH

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 610
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®, Shoe Creme
SIZES: D 7-12,13,14,15 EE 8-12,13,14

GORE-TEX vibram HRO R|W LEATHER

MADE IN CHINA

Sole Resistance Chart

Vibram® Montana Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

447 Men's 9-inch Boot

EH

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 800 gram · KING TOE · vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Galactic Fire and Ice - Black-Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

474 Men's 8-inch Boot

EH

UPPER: Full Grain Dark Brown Pueblo Leather
FOOTBED: Nylon Covered Polyurethane
LAST: 594
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14 EE 7-12,13,14

vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Alpha Wedge TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

608 Men's 8-inch Boot

EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 9-12,13,14,15 D 7-12,13,14,15,16 E 8-12,13 EE 7-7½,8-12,13,14,15
H 9-12,13,14

2.0 SUPER-SOLE · R|W LEATHER · CF

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

88608 Men's 8-inch Boot

EH

UPPER: Full Grain, Water Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 16,17,18 D 17,18 EE 16,17,18

2.0 SUPER-SOLE · R|W LEATHER · CF

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

678 **Men's** 8-inch Boot

EH

UPPER: Full Grain Calico Brawny Leather
FOOTBED: ComfortForce®
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt
RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

Sole Resistance Chart

SuperSole® 2.0 Wedge

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

708 **Men's** 8-inch Boot

UPPER: Full Grain Brown Chrome Leather
LAST: 8
CONSTRUCTION: Goodyear Leather Welt
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13 D 7-12,13,14 EE 7½-12

Sole Resistance Chart

Cushion Crepe Wedge

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Good
Heat	Good
Non-Marking	No

MADE IN THE USA

MADE TO ORDER

815 **Men's** 8-inch Boot

UPPER: Full Grain, Waterproof Cognac Fortitude Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 325
CONSTRUCTION: SuperSole® Welt
CARE: Leather Protector, NaturSeal®
SIZES: D 8-12,13,14 EE 8-12,13 H 8-12,13

Sole Resistance Chart

Mini Lug SuperSole® - Amber

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

877 **Men's** 8-inch Boot

UPPER: Full Grain, Water Resistant Oro-iginal Leather
LAST: 23
CONSTRUCTION: Goodyear Leather Welt
CARE: Boot Oil, Leather Protector
SIZES: AA 10-12,13,14 B 9-12,13,14 C 9-12 D 4-12,13,14,15 E 8-12,13 EE 8-12,13 H 8-11

Sole Resistance Chart

Traction Tred Cushion Crepe Wedge

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

88877 Men's 8-inch Boot

UPPER: Full Grain, Water Resistant Oro-iginal Leather
LAST: 23
CONSTRUCTION: Goodyear Leather Welt
CARE: Boot Oil, Leather Protector
SIZES: D 16,17,18,19,20

R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Traction Tred Cushion Crepe Wedge

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	Yes

MADE TO ORDER

899 Men's 8-inch Boot

UPPER: Full Grain Oro-iginal Leather
SHANK: Steel
LAST: 8
CONSTRUCTION: Goodyear Leather Welt
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 8-12,13

vibram HRO R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Vibram® Lug TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

914 Men's 8-inch Boot

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 E 8-12,13 EEE 8-12,13

GORE-TEX 2.0 SUPER•SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

931 Men's 8-inch Boot

UPPER: Full Grain, Water Resistant Briar Pit Stop Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

SUPER•SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

938 **Men's** 8-inch Boot

EH

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: A 10-12,13,14 B 9-12,13,14,15 C 9-12,13 D 6-12,13,14,15,16 E 7-7½,8-12,13 EE 6-12,13,14,15 H 8-12,13

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

953 **Men's** 8-inch Boot

UPPER: Full Grain, Water Resistant Velva Boomer Leather
SHANK: Steel
LAST: 326
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: AA 10-12,13,14 A 10-12,13,14 B 8-12,13,14,15 C 8-12,13 D 5-12,13,14,15,16,17,18 E 7-12,13,14 EE 7-12,13,14,15,16 EEE 7-12,13,14

Sole Resistance Chart

Chevron SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

88953 **Men's** 8-inch Boot

UPPER: Full Grain, Water Resistant Velva Boomer Leather
SHANK: Steel
LAST: 326
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 16,17,18 EE 17,18

Sole Resistance Chart

Chevron SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

964 **Men's** 8-inch Boot

EH

UPPER: Full Grain, Water Resistant Amber Oil Slick Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 323
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-7½,8-12,13

Sole Resistance Chart

Rubber-PU Scout

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

998 Men's 8-inch Boot

UPPER: Full Grain, Water Resistant Acorn Hillfire Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 323
CONSTRUCTION: Goodyear Leather Welt

CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13,14 D 8-12,13,14 EE 8-12,13

Sole Resistance Chart

Vibram® Pioneer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

NEW

Available:
Spring 2012

1102 Men's 8-inch Boot

EH

UPPER: Full Grain Red Brown Kayak and Gaucho Yuma Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: NaturSeal® Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

Sole Resistance Chart

Pathfinder™ SuperSole®

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

1201 Men's 8-inch Boot

EH

UPPER: Full Grain, Waterproof Merlot Mesa Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

Sole Resistance Chart

Vibram® Montana TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

1202 Men's 8-inch Boot

EH

UPPER: Full Grain, Waterproof Merlot Mesa Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EE 8-12,13

Sole Resistance Chart

Vibram® Montana TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

MADE TO ORDER

1210 Men's 8-inch Boot

UPPER: Full Grain, Water Resistant Rambo Leather
SHANK: Steel
LAST: 326
CONSTRUCTION: SuperSole® Welt
CARE: Boot Oil, Leather Protector
SIZES: D 7-12,13,14,15 EEE 7-12,13,14

3M Thinsulate Ultra INSULATION 400 gram · SUPER•SOLE · R|W LEATHER

Sole Resistance Chart

Mini Lug SuperSole® - Black

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

1229 Men's 9-inch Boot

UPPER: Full Grain, Waterproof Red Maple Fortitude Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 325
CONSTRUCTION: Goodyear Leather Welt
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13 D 8-12,13,14 EE 8-12,13

GORE-TEX · 3M Thinsulate Ultra INSULATION 1000 gram · Vibram · HRO · R|W LEATHER

Sole Resistance Chart

Vibram® Lug Olympia

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	No

MADE IN THE USA

1411 Men's 8-inch Boot

EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt
RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 600 gram · SUPER•SOLE · DYNA-LITE · R|W LEATHER · REDBED

Sole Resistance Chart

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

1412 Men's 8-inch Boot

EH

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt
RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 10-12,13,14 D 7-12,13,14,15 E 7-12,13 EEE 7-12,13,14,15

GORE-TEX · 3M Thinsulate Ultra INSULATION 400 gram · 2.0 SUPER•SOLE · R|W LEATHER

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

MADE TO ORDER

81412 Men's 8-inch Boot

EH

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 15,16,17,18 D 16,17,18

GORE-TEX · 3M Thinsulate Ultra Insulation 400 gram · SUPER-SOLE 2.0 · R|W Leather · CF

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE TO ORDER

1426 Men's 8-inch Boot

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 695
CONSTRUCTION: Dual Density SuperSole® Welt

CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14 EEE 8-12,13

GORE-TEX · 3M Thinsulate Ultra Insulation 400 gram · SUPER-SOLE 2.0 · R|W Leather · CF

MADE IN THE USA

Sole Resistance Chart

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

1444 Men's 8-inch Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW Waterproof · 3M Thinsulate Ultra Insulation 400 gram · KING TOE · R|W Leather

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

1447 Men's 8-inch Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW Waterproof · KING TOE · R|W Leather

MADE IN CHINA

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero · AT Aluminum Toe / Casco de Aluminio · NT Non-Metallic Toe / Casco No Metálico · EH Electrical Hazard / Di-Eléctrico · PR Puncture Resistant / Resistente a las Perforaciones

NEW

218 **Men's** 9-inch Logger Boot

UPPER: Full Grain Black Chrome Leather
SHANK: Lineman Steel
LAST: 50
CONSTRUCTION: Storm Welt

RATING: Meets NFPA Wildland Specs
CARE: Boot Oil, Leather Protector
SIZES: C 4½-12½ D 7-13,14,15 E 6-13 EEE 8-11

Sole Resistance Chart

Vibram® Logger Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

616 **Men's** 9-inch Logger Boot

EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman Steel
LAST: 635
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 9-12,13

Sole Resistance Chart

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

620 **Men's** 9-inch Logger Boot

EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman Steel
LAST: 635
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13,14

Sole Resistance Chart

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

MADE TO ORDER

921 **Men's** 10-inch Lineman Boot

EH

UPPER: Full Grain, Water Resistant Copper Worksmith Leather
SHANK: Lineman Steel
LAST: 50
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 7-12,13 EE 8-12

Sole Resistance Chart

Vibram® Lineman

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

866 **Men's** 9-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Oro-iginal Leather
LAST: 17
CONSTRUCTION: Goodyear Leather Welt
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13 D 7-12,13,14 E 7-12,13 EEE 8-12

R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Traction Tred Cushion Crepe Wedge

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Good
Heat	Better
Non-Marking	Yes

MADE TO ORDER

968 **Men's** 10-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Black Scout Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 55
CONSTRUCTION: Goodyear Leather Welt
CARE: Boot Oil, Leather Protector, Shoe Creme
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14

vibram HRO R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Vibram® Laramie TC-4

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

NEW

Available: Spring 2012

1101 **Men's** 11-inch Pull-On Boot

EH

UPPER: Full Grain Red Brown Kayak and Gaucho Yuma Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt
RATING: ASTM F2892-11, EH
CARE: Leather Protector
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

SUPER-SOLE R|W LEATHER

MADE IN THE USA W/IMPORTED MATERIALS

Sole Resistance Chart

Pathfinder™ SuperSole®

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

1105 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Acorn Hillfire Leather
SHANK: Steel
LAST: 17
CONSTRUCTION: SuperSole® Welt
CARE: Boot Oil, Leather Protector
SIZES: AA 10-12,13,14 A 10-12,13 B 8-12,13,14,15 C 8-12,13 D 6-12,13,14,15,16 E 7-12,13,14 EE 7-12,13,14 EEE 7-12,13,14

SUPER-SOLE R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Chevron SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

1124 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain Durango Dirty Dog Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14

Sole Resistance Chart

Pathfinder™ SuperSole®

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

1125 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Black Star Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

CARE: Shoe Creme, Leather Protector, NaturSeal®
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14

Sole Resistance Chart

Pathfinder™ SuperSole®

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

1132 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Briar Pit Stop Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 7-12,13,14,15 E 8-11 EE 7½-12,13,14

Sole Resistance Chart

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

1149 **Men's** 10-inch Pull-On Boot

EH

UPPER: Full Grain Turbo Vegas Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14,15 D 6-6½,7-12,13,14,15 EE 6-6½,7-12,13,14,15 H 8-12,13

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

1155 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Brown Boomer Leather
SHANK: Steel
LAST: 72
CONSTRUCTION: Goodyear Leather Welt

CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 C 9-12,13 D 6-12,13,14,15,16 E 7-12,13 EE 7-12,13 EEE 7-12,13,14

Sole Resistance Chart

Vibram® Chemigum Cork

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

1159 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Rambo Leather
SHANK: Steel
LAST: 17
CONSTRUCTION: SuperSole® Welt

CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 7-12,13,14 EE 7-12,13

Sole Resistance Chart

Chevron SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

1170 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: D 7-12,13,14,15 EE 8-12,13 H 8-12,13

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

MADE TO ORDER

1178 **Men's** 11-inch Pull-On Boot

UPPER: Full Grain, Water Resistant Brown Boomer Leather
SHANK: Steel
LAST: 17
CONSTRUCTION: Goodyear Leather Welt

CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13 C 9-12 D 5-12,13,14 E 6½-12,13 EE 7-12 EEE 6-11

Sole Resistance Chart

Nitrile Cork

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

NEW

1196 **Men's** 9-inch Pull-On Boot

EH

UPPER: Full Grain Red Oak Mesa Leather
FOOTBED: Removable Polyurethane
LAST: 696
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: B 10-12,13 D 6-12,13,14 EE 7-12,13

HRO R|W LEATHER

Sole Resistance Chart

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

WOMEN'S

NEW

1620 **Women's** Slip-On

UPPER: Full Grain Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

R|W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

NEW

1621 **Women's** Slip-On

UPPER: Full Grain Brown Akiba Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

NEW

1623 **Women's** Oxford

UPPER: Full Grain Black Star Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

R|W LEATHER

Sole Resistance Chart

Forager - Black

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

NEW

1624 **Women's** Oxford

UPPER: Full Grain Brown Akiba Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Opanka

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

Sole Resistance Chart

Forager - Brown

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

Available:
Spring 2012

NEW

4173 **Women's** Oxford

UPPER: Full Grain Brown Akiba Leather
FOOTBED: Polyurethane
SHANK: Non-metallic
LAST: RDS801-5L
CONSTRUCTION: Cement

CARE: Leather Protector, Shoe Creme
SIZES: N 7-10 M 5-10,11,12 W 6-10,11,12

HRI

Sole Resistance Chart

Victoria

Slip	Best
Oil/Gas	Good
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

4174 **Women's** Oxford

UPPER: Full Grain Black Leather
FOOTBED: Polyurethane
SHANK: Non-metallic
LAST: RDS801-5L
CONSTRUCTION: Cement

CARE: Leather Protector, Shoe Creme
SIZES: N 7-10 M 5-10,11,12 W 6-10,11,12

HRI

Sole Resistance Chart

Victoria

Slip	Best
Oil/Gas	Good
Chemicals	Good
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

1634 **Women's** Athletic

EH

UPPER: Full Grain White Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2892-11, EH
CARE: Shoe Creme
SIZES: B 5-10,11 D 5-10 EE 5-10

Sole Resistance Chart

Rubber-EVA Viper - White

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

1637 **Women's** Athletic

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane SD
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2892-11, SD
CARE: Leather Protector, Shoe Creme
SIZES: B 6-10,11 D 6-10

Sole Resistance Chart

Rubber-EVA Viper - Black

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN CHINA

1626 **Women's** 6-inch Boot

EH

UPPER: Full Grain, Waterproof Nutmeg Ebbtide
FOOTBED: Removable ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2892-11, EH
CARE: Boot Oil, Leather Protector
SIZES: B 6-10 D 6-10 EE 7-10

Sole Resistance Chart

Horizon™ SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

1627 **Women's** 6-inch Boot

EH

UPPER: Full Grain, Waterproof Spice Tramper Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector
SIZES: B 6-10,11 D 6-10

Sole Resistance Chart

PU Cascade I

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

1681 **Women's** 8-inch Boot

EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2892-11, EH
CARE: Leather Protector, NaturSeal®
SIZES: B 6-10,11 D 6-10

Sole Resistance Chart

TPU-PU Galaxy - Brown

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

MADE TO ORDER

1698 **Women's** 9-inch Logger

UPPER: Full Grain, Water Resistant Black Boomer Leather
SHANK: Lineman Steel
LAST: 698
CONSTRUCTION: Goodyear Leather Welt

RATING: Meets NFPA Wildland Specs
CARE: Boot Oil, Leather Protector
SIZES: B 5-10 D 5-10 EE 5-10

Sole Resistance Chart

Vibram® Lug Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

111 STYLES

WATER-PROOF

Moisture is kept out



Perspiration moves away from feet

FOOTWEAR & ITS MATERIALS ARE CONSTRUCTED IN A WAY **THAT PREVENTS** WATER PENETRATION TO THE FOOT.

MEN'S SAFETY TOE

6672 RED WING
Men's Athletic

AT EH

Pg. 14

6691 RED WING
Men's Athletic

AT EH

Pg. 14

6667 RED WING
Men's 5-inch Hiker Boot

ST EH

Pg. 16

6668 RED WING
Men's 5-inch Hiker Boot

ST EH

Pg. 16

6670 RED WING
Men's 6-inch Hiker Boot

ST EH

Pg. 17

6674 RED WING
Men's 6-inch Hiker Boot

AT EH

Pg. 17

6680 RED WING
Men's 5-inch Hiker Boot

NT EH

Pg. 17

6683 RED WING
Men's 5-inch Hiker Boot

ST EH

Pg. 17

6684 RED WING
Men's 5-inch Hiker Boot

ST EH

Pg. 18

6690 RED WING
Men's 6-inch Hiker Boot

AT EH

Pg. 18

6785 RED WING
Men's 6-inch Hiker Boot

AT EH

Pg. 18

971 RED WING
Men's 6-inch Boot

ST EH

Pg. 18

2206 RED WING
Men's 6-inch Boot

ST EH

Pg. 19

2240 RED WING
Men's 6-inch Boot

NT EH

Pg. 20

2246 RED WING
Men's 6-inch Boot

ST EH

Pg. 21

2260 RED WING
Men's 6-inch Boot

NT EH

Pg. 21

3506 RED WING
Men's 6-inch Boot

NT EH PR

Pg. 22

NEW

4216 RED WING
Men's 6-inch Boot

NT EH

Pg. 24

NEW

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

4400 RED WING
Men's 6-inch Boot

ST EH

Pg. 24

4406 RED WING
Men's 6-inch Boot

ST EH

Pg. 24

4425 RED WING
Men's 6-inch Boot

ST EH

Pg. 25

4490 RED WING
Men's 6-inch Boot

AT EH

Pg. 25

NEW

4491 RED WING
Men's 6-inch Boot

AT EH

Pg. 25

NEW

5603 WORX
Men's 6-inch Boot

ST EH

Pg. 146

5620 WORX
Men's 6-inch Boot

NT EH

Pg. 147

NEW

5632 WORX
Men's 6-inch Boot

ST EH

Pg. 147

2211 RED WING
Men's 8-inch Boot

ST EH

Pg. 26

2244 RED WING
Men's 8-inch Boot

NT EH

Pg. 27

2280 RED WING
Men's 8-inch Boot

NT EH

Pg. 27

2412 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 28

2414 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 28

2426 RED WING
Men's 8-inch Boot

ST EH

Pg. 29

2491 RED WING
Men's 8-inch Boot

ST EH

Pg. 29

NEW

2492 RED WING
8-inch Boot

NT EH

Pg. 29

NEW

3511 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 30

3512 RED WING
Men's 8-inch Boot

NT EH PR

Pg. 30

NEW



4273 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 32

4401 RED WING
Men's 8-inch Boot

ST EH

Pg. 32

4414 RED WING
Men's 8-inch Boot

ST EH

Pg. 32

5432 WORX
Men's 8-inch Boot

ST EH

Pg. 148

5803 WORX
Men's 8-inch Boot

ST EH

Pg. 149

5823 WORX
Men's 8-inch Boot

NT EH

Pg. 150

NEW

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

3527 RED WING
Men's 9-inch Boot

AT EH PR

Pg. 30

NEW

3548 RED WING
Men's 9-inch Boot

NT EH PR

Pg. 31

NEW

2292 RED WING
Men's 10-inch Boot

ST EH

Pg. 34

4416 RED WING
Men's 9-inch Logger

ST EH

Pg. 34

4417 RED WING
Men's 9-inch Logger

ST EH

Pg. 35

4420 RED WING
Men's 9-inch Logger

ST EH

Pg. 35

2230 RED WING
Men's 11-inch Pull-On

ST EH

Pg. 36

2270 RED WING
Men's 11-inch Pull-On

ST EH

Pg. 38

2499 RED WING
Men's 12-inch Pull-On

ST EH

Pg. 38

4212 RED WING
Men's 11-inch Pull-On

ST EH

Pg. 39

4445 RED WING
Men's 11-inch Pull-On

ST EH

Pg. 40

5700 WORX
Men's 9-inch Pull-On

ST EH

Pg. 150

6499 WORX
Men's 12-inch Pull-On

ST EH

Pg. 150

6500 WORX
Men's 9-inch Pull-On

ST EH

Pg. 151

3530 RED WING
Men's 8-inch Boot

NT EH PR MT

Pg. 41

NEW

4431 RED WING
Men's 6-inch Boot

NT EH MT

Pg. 42

NEW

4433 RED WING
Men's 6-inch Boot

ST EH MT

Pg. 42

NEW

4435 RED WING
Men's 8-inch Boot

ST EH MT

Pg. 42

NEW

4436 RED WING
Men's 11-inch Pull-On

ST EH MT

Pg. 42

NEW

4440 RED WING
Men's 8-inch Boot

NT EH MT

Pg. 43

NEW

4449 RED WING
Men's 11-inch Pull-On

NT EH MT

Pg. 43

NEW

4472 RED WING
Men's 6-inch Hiker Boot

NT EH MT

Pg. 43

NEW

4499 RED WING
Men's 10-inch Boot

ST EH MT

Pg. 44

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

2375 RED WING
Women's Hiker Boot

AT EH

Pg. 47

2380 RED WING
Women's Hiker Boot

NT EH

Pg. 47

2691 RED WING
Women's Hiker Boot

ST EH

Pg. 48

2327 RED WING
Women's 5-inch Boot

ST EH

Pg. 48

2340 RED WING
Women's 5-inch Boot

NT EH

Pg. 49

3540 RED WING
Women's 5-inch Boot

NT EH PR

Pg. 48

NEW

2381 RED WING
Women's 8-inch Boot

NT EH

Pg. 49

2325 RED WING
Women's Hiker Boot

NT EH MT

Pg. 49

NEW

MEN'S SOFT TOE

51024 RED WING
Men's Oxford

Pg. 54

4333 RED WING
Men's Chukka

Pg. 55

8670 RED WING
Men's 5-inch Hiker Boot

EH

Pg. 57

8672 RED WING
Men's Hiker Boot

EH

Pg. 57

8675 RED WING
Men's 5-inch Hiker Boot

EH

Pg. 57

8683 RED WING
Men's 5-inch Hiker Boot

EH

Pg. 57

8685 RED WING
Men's 5-inch Hiker Boot

EH

Pg. 58

8690 RED WING
Men's 5-inch Hiker Boot

EH

Pg. 58

8691 RED WING
Men's Hiker Boot

EH

Pg. 58

405 RED WING
Men's 6-inch Boot

EH

Pg. 59

406 RED WING
Men's 6-inch Boot

EH

Pg. 59

432 RED WING
Men's 6-inch Boot

EH

Pg. 60

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

435 RED WING
Men's 6-inch Boot

EH

Pg. 60

1200 RED WING
Men's 6-inch Boot

EH

Pg. 63

1206 RED WING
Men's 6-inch Boot

EH

Pg. 63

1216 RED WING
Men's 6-inch Boot

EH

Pg. 63

NEW

1246 RED WING
Men's 6-inch Boot

EH

Pg. 64

1421 RED WING
Men's 6-inch Boot

Pg. 64

1425 RED WING
Men's 6-inch Boot

EH

Pg. 64

411 RED WING
Men's 8-inch Boot

EH

Pg. 65

414 RED WING
Men's 8-inch Boot

EH

Pg. 65

427 RED WING
Men's 9-inch Boot

EH

Pg. 65

447 RED WING
Men's 9-inch Boot

EH

Pg. 66

815 RED WING
Men's 8-inch Boot

Pg. 67

914 RED WING
Men's 8-inch Boot

Pg. 68

1201 RED WING
Men's 8-inch Boot

EH

Pg. 70

1202 RED WING
Men's 8-inch Boot

EH

Pg. 70

1229 RED WING
Men's 9-inch Boot

EH

Pg. 71

1411 RED WING
Men's 8-inch Boot

EH

Pg. 71

1412 RED WING
Men's 8-inch Boot

Pg. 71

1426 RED WING
Men's 8-inch Boot

Pg. 72

1444 RED WING
Men's 8-inch Boot

EH

Pg. 72

1447 RED WING
Men's 8-inch Boot

EH

Pg. 72

616 RED WING
Men's 9-inch Logger

EH

Pg. 73

620 RED WING
Men's 9-inch Logger

EH

Pg. 73

1170 RED WING
Men's 11-inch Pull-On

EH

Pg. 76

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

1627 RED WING
Women's 6-inch Boot

EH

Pg. 79

1681 RED WING
Women's 8-inch Boot

EH

Pg. 79

27 STYLES

METATARSAL GUARD

MT

INTERNAL OR EXTERNAL,
INSTEP PROTECTION
FROM IMPACTS KEEPS THE TOP OF YOUR FEET SAFE.

FORCESHIELD™

Red Wing ForceShield™ technology provides amazing impact absorption. Made of a revolutionary thin, soft material, it offers flexible, comfortable metatarsal protection from dangerous workplace drop and impact hazards while meeting ASTM standards. See page 4 for more details on this technology.

MEN'S

4479 RED WING
Men's Oxford

NT EH MT

Pg. 44

4472 RED WING
Men's 6-inch Hiker Boot

NT EH MT

Pg. 43

NEW

5584 WORX
Men's 5-inch Boot

ST EH MT

Pg. 152

5601 WORX
Men's 5-inch Boot

NT EH MT

Pg. 152

4421 RED WING
Men's 6-inch Boot

NT EH MT

Pg. 41

NEW

4431 RED WING
Men's 6-inch Boot

NT EH MT

Pg. 42

NEW

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

4433 RED WING
Men's 6-inch Boot

ST EH MT

Pg. 42

NEW

4456 RED WING
Men's 6-inch Boot

NT EH MT

Pg. 43

4483 RED WING
Men's 6-inch Boot

ST EH MT

Pg. 44

NEW

5486 WORX
Men's 6-inch Boot

ST EH MT

Pg. 151

5586 WORX
Men's 6-inch Boot

ST EH MT

Pg. 152

5626 WORX
Men's 6-inch Boot

ST EH MT

Pg. 152

5686 RED WING
Men's 6-inch Boot

ST EH MT

Pg. 45

3530 RED WING
Men's 8-inch Boot

NT EH PR MT

Pg. 41

NEW

4422 RED WING
Men's 8-inch Boot

NT EH MT

Pg. 41

NEW

4435 RED WING
Men's 8-inch Boot

ST EH MT

Pg. 42

NEW

4440 RED WING
Men's 8-inch Boot

NT EH MT

Pg. 43

NEW

4484 RED WING
Men's 8-inch Boot

ST EH MT

Pg. 44

NEW

5489 WORX
Men's 8-inch Boot

ST EH MT

Pg. 151

5828 WORX
Men's 8-inch Boot

ST EH MT

Pg. 153

5889 RED WING
Men's 8-inch Boot

ST EH MT

Pg. 45

4499 RED WING
Men's 10-inch Boot

ST EH MT

Pg. 44

4436 RED WING
Men's 11-inch Pull-On

ST EH MT

Pg. 42

NEW

4449 RED WING
Men's 11-inch Pull-On

NT EH MT

Pg. 43

NEW

5429 WORX
Men's 9-inch Pull-On

ST EH MT

Pg. 151

5829 WORX
Men's 10-inch Pull-On

ST EH MT

Pg. 153

WOMEN'S

2325 RED WING
Women's Hiker Boot

NT EH MT

Pg. 49

NEW

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

54 STYLES

STATIC-DISSIPATIVE

PROTECT YOUR ELECTRONIC DEVICES FROM THE DAMAGE CAUSED BY THE TRANSMISSION OF ELECTRICAL CHARGES.

Static dissipative footwear is designed to drain build-up of electrical charges, thus preventing the transmission of an electrical charge and damage to sensitive, electronic devices.

MEN'S SAFETY TOE

5011 WORX
Men's Oxford

ST

Pg. 138

5411 WORX
Men's Oxford

ST

Pg. 139

5503 WORX
Men's Slip-On

ST

Pg. 139

5504 WORX
Men's Slip-On

NT

Pg. 140

6602 RED WING
Men's Oxford

ST

Pg. 9

6604 RED WING
Men's Oxford

ST

Pg. 10

6612 RED WING
Men's Oxford

ST

Pg. 10

6618 RED WING
Men's Oxford

ST

Pg. 10

6659 RED WING
Men's Oxford

ST

Pg. 11

6700 RED WING
Men's Slip-On

AT

Pg. 12

6701 RED WING
Men's Oxford

ST

Pg. 12

NEW

6702 RED WING
Men's Slip-On

AT

Pg. 12

6703 RED WING
Men's Oxford

AT

Pg. 12

6704 RED WING
Men's Oxford

AT

Pg. 13

8701 RED WING
Men's Oxford

ST

Pg. 13

NEW

5373 WORX
Men's Athletic

ST

Pg. 142

5374 WORX
Men's Athletic

ST

Pg. 142

5509 WORX
Men's Athletic

ST

Pg. 142

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

6329 RED WING
Men's Athletic

AT

Pg. 13

6337 RED WING
Men's Athletic

AT

Pg. 13

5013 WORX
Men's Chukka

ST

Pg. 143

5413 WORX
Men's Chukka

ST

Pg. 144

6662 RED WING
Men's Chukka

ST

Pg. 14

6707 RED WING
Men's Chukka

AT

Pg. 15

2241 RED WING
Men's 6-inch Boot

NT

Pg. 20

5661 WORX
Men's 6-inch Boot

ST

Pg. 148

3049 RED WING
Men's 17-inch Pac Boot

NT

Pg. 41

NEW

WOMEN'S SAFETY TOE

2321 RED WING
Women's Slip-On

AT

Pg. 45

2322 RED WING
Women's Slip-On

AT

Pg. 45

2323 RED WING
Women's Oxford

AT

Pg. 46

2324 RED WING
Women's Oxford

AT

Pg. 46

2382 RED WING
Women's Oxford

ST

Pg. 46

2383 RED WING
Women's Oxford

ST

Pg. 47

5105 WORX
Women's Slip-On

NT

Pg. 153

5107 WORX
Women's Slip-On

NT

Pg. 153

5130 WORX
Women's Oxford

ST

Pg. 154

5430 WORX
Women's Oxford

ST

Pg. 154

2337 RED WING
Women's Athletic

AT

Pg. 47

5433 WORX
Women's Chukka

ST

Pg. 156

MEN'S SOFT TOE

5511 WORX
Men's Oxford

Pg. 157

8618 RED WING
Men's Oxford

Pg. 52

8700 RED WING
Men's Slip-On

Pg. 53

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

8702 RED WING
Men's Slip-On

Pg. 53

8703 RED WING
Men's Oxford

Pg. 54

8704 RED WING
Men's Oxford

Pg. 54

8329 RED WING
Men's Athletic

Pg. 54

8337 RED WING
Men's Athletic

Pg. 54

8662 RED WING
Men's Chukka

Pg. 56

WOMEN'S SOFT TOE

1620 RED WING
Women's Slip-On

Pg. 77

NEW

1621 RED WING
Women's Slip-On

Pg. 77

NEW

1623 RED WING
Women's Oxford

Pg. 77

NEW

1624 RED WING
Women's Oxford

Pg. 78

NEW

5530 WORX
Women's Oxford

Pg. 160

1637 RED WING
Women's Athletic

Pg. 79

42 STYLES

MADE-TO-ORDER

OFFER MORE **SOLUTIONS** FOR YOUR ***HARD-TO-FIT*** CUSTOMERS.

MADE-TO-ORDER EXTENDED SIZES CUSTOM FIT

MADE-TO-ORDER STYLES

We realize that some retailers have a loyal customer following in a boot style that is not part of our in-stock selection. To satisfy demand for these special products, Red Wing offers a Made-to-Order program.

Please allow 7-14 working days for delivery.

MADE-TO-ORDER SIZES

In addition to the styles shown here, we offer Made-to-Order sizes for many of our regular in-stock styles for hard-to-fit feet. These additional sizes are highlighted in red in the Safety and Soft Toe sections of the catalog.

Example shown below.

4418 **Men's** 8-inch Logger Boot

ST EH

UPPER: Full Grain, Water Resistant Brown Chrome Leather
SOLE: Lineman
LAST: 50
CONSTRUCTION: Goodyear Welt
RATING: ASTM F 2413-11, M I/75 C/75, EH
CARE: Boot Oil, Leather Protector
SIZES: B 9-12,13,14 D 6-12,13,14,15 EE 7-12,13,14

3M Thinsulate Ultra Insulation 400 gram

R|W LEATHER

MADE IN THE USA

Sole Resistance Chart

Vibram® Logger

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

105 RED WING
Men's Oxford

Pg. 51

107 RED WING
Men's Oxford

Pg. 51

2143 RED WING
Men's Chukka

Pg. 55

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

2595 RED WING
Men's Chukka

ST EH

Pg. 14

1425 RED WING
Men's 6-inch Boot

EH

Pg. 64

2126 RED WING
Men's 6-inch Boot

Pg. 64

4206 RED WING
Men's 6-inch Boot

ST EH

Pg. 24

4425 RED WING
Men's 6-inch Boot

ST EH

Pg. 25

4439 RED WING
Men's 6-inch Boot

ST EH

Pg. 25

708 RED WING
Men's 8-inch Boot

Pg. 67

815 RED WING
Men's 8-inch Boot

Pg. 67

899 RED WING
Men's 8-inch Boot

Pg. 68

1210 RED WING
Men's 8-inch Boot

Pg. 71

1426 RED WING
Men's 8-inch Boot

Pg. 72

4208 RED WING
Men's 8-inch Boot

ST EH

Pg. 31

1229 RED WING
Men's 9-inch Boot

Pg. 71

921 RED WING
Men's 10-inch Lineman

EH

Pg. 73

2221 RED WING
Men's 10-inch Lineman

ST EH

Pg. 34

2450 RED WING
Men's 16-inch Lineman

ST EH

Pg. 34

4420 RED WING
Men's 9-inch Logger

ST EH

Pg. 35

968 RED WING
Men's 10-inch Pull-On

Pg. 74

1178 RED WING
Men's 11-inch Pull-On

Pg. 76

4210 RED WING
Men's 11-inch Pull-On

ST EH

Pg. 39

1698 RED WING
Women's 9-inch Logger

Pg. 80

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

SOLUTIONS FOR SUPER-SIZED CUSTOMER NEEDS.

EXTENDED SIZES

It's a fact of nature that humans come in all shapes and sizes. Sometimes even our generous size range can be exceeded. So for those super-sized needs, Red Wing offers an extended sizes program. With work boots in safety and soft toe, lace ups and pull-ons, 6" and 8" styles, it's as close to a custom fit as your biggest customers will find anywhere.

Please allow 3 weeks for extended sizes orders.

82406 RED WING
Men's 6-inch Boot

ST EH

SIZES:
B 16,17,18 D 17,18
EE 16,17,18

Pg. 22

88606 RED WING
Men's 6-inch Boot

EH

SIZES:
B 16,17,18 D 17,18
EE 16,17,18

Pg. 60

88875 RED WING
Men's 6-inch Boot

SIZES:
D 16,17,18,19,20

Pg. 61

81412 RED WING
Men's 8-inch Boot

SIZES:
B 15,16,17,18
D 16,17,18

Pg. 72

82408 RED WING
Men's 8-inch Boot

ST EH

SIZES:
B 16,17,18 D 17,18
EE 16,17,18

Pg. 28

88608 RED WING
Men's 8-inch Boot

EH

SIZES:
B 16,17,18 D 17,18
EE 16,17,18

Pg. 66

88877 RED WING
Men's 8-inch Boot

SIZES:
D 16,17,18,19,20

Pg. 68

88953 RED WING
Men's 8-inch Boot

SIZES:
B 16,17,18 EE 17,18

Pg. 69

82231 RED WING
Men's 11-inch Pull-On

ST EH

SIZES:
B 17,18 D 17,18
EE 16,17,18

Pg. 37

OPTIONS TO FIND THE
PERFECT FIT WITH
DIFFERENT-SIZED PAIRS

CUSTOM FIT

Years of fitting stool experience have taught us that some customers' feet are not a perfect match. All too often the customer has to settle for less than a perfect fit. Red Wing's Custom Fit program offers a unique way to fit these special customers. It allows you to order a pair of boots in two different sizes. It's a solution we're sure your special customers will appreciate and value.

Please allow 3 weeks for a custom fit order.

50105-L 20105-R
Men's Oxford
Pg. 51

50107-L 20107-R
Men's Oxford
Pg. 51

52156-L 22156-R
Men's Chukka
Pg. 55

50595-L 20595-R
Men's Chukka
Pg. 55

50202-L 20202-R
Men's 6-inch Boot
Pg. 58

50606-L 20606-R
Men's 6-inch Boot
EH
Pg. 60

50875-L 20875-R
Men's 6-inch Boot
Pg. 61

50952-L 20952-R
Men's 6-inch Boot
Pg. 62

52406-L 22406-R
Men's 6-inch Boot
ST EH
Pg. 22

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

50402-L 20402-R
Men's 8-inch Boot
Pg. 65

50608-L 20608-R
Men's 8-inch Boot
EH
Pg. 66

50877-L 20877-R
Men's 8-inch Boot
Pg. 67

50953-L 20953-R
Men's 8-inch Boot
Pg. 69

52408-L 22408-R
Men's 8-inch Boot
ST EH
Pg. 28

52218-L 22218-R
Men's 9-inch Logger
ST EH
Pg. 33

50866-L 20866-R
Men's 9-inch Pull-On
Pg. 74

51155-L 21155-R
Men's 11-inch Pull-On
Pg. 76

52231-L 22231-R
Men's 11-inch Pull-On
ST EH
Pg. 36

52405-L 22405-R
Men's 11-inch Pull-On
ST EH
Pg. 38

48 STYLES

WOMEN'S



FROM OXFORDS TO HIKERS,
6-INCH BOOTS TO 9-INCH LOGGERS

TRADITIONAL SAFETY PACKAGED IN A **WOMEN'S FIT.**

SAFETY TOE

2321 RED WING
Women's Slip-On

AT

Pg. 45

2322 RED WING
Women's Slip-On

AT

Pg. 45

2323 RED WING
Women's Oxford

AT

Pg. 46

2324 RED WING
Women's Oxford

AT

Pg. 46

2382 RED WING
Women's Oxford

ST

Pg. 46

2383 RED WING
Women's Oxford

ST

Pg. 47

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

5105 WORX
Women's Slip-On

NT

Pg. 153

5107 WORX
Women's Slip-On

NT

Pg. 153

5130 WORX
Women's Oxford

ST

Pg. 154

5305 WORX
Women's Oxford

ST EH

Pg. 154

5430 WORX
Women's Oxford

ST

Pg. 154

6553 WORX
Women's Oxford

NT EH

Pg. 156

2334 RED WING
Women's Athletic

AT EH

Pg. 46

NEW

2337 RED WING
Women's Athletic

AT

Pg. 47

5108 WORX
Women's Athletic

AT EH

Pg. 154

5109 WORX
Women's Athletic

AT EH

Pg. 155

5110 WORX
Women's Athletic

NT EH

Pg. 155

5344 WORX
Women's Athletic

ST EH

Pg. 155

5505 WORX
Women's Athletic

ST EH

Pg. 155

5433 WORX
Women's Chukka

ST

Pg. 156

2375 RED WING
Women's Hiker Boot

AT EH

Pg. 47

2380 RED WING
Women's Hiker Boot

NT EH

Pg. 47

2691 RED WING
Women's Hiker Boot

ST EH

Pg. 48

5169 WORX
Women's Hiker Boot

ST EH

Pg. 156

NEW

3540 RED WING
Women's 5-inch Boot

NT EH PR

Pg. 48

NEW

2326 RED WING
Women's 6-inch Boot

ST EH

Pg. 48

2327 RED WING
Women's 6-inch Boot

ST EH

Pg. 48

2340 RED WING
Women's 5-inch Boot

NT EH

Pg. 49

5345 WORX
Women's 6-inch Boot

ST EH

Pg. 156

2381 RED WING
Women's 8-inch Boot

NT EH

Pg. 49

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

2325 RED WING
Women's Hiker Boot

NT EH MT

Pg. 49

NEW

SOFT TOE

1620 RED WING
Women's Slip-On

Pg. 77

NEW

1621 RED WING
Women's Slip-On

Pg. 77

NEW

1623 RED WING
Women's Oxford

Pg. 77

NEW

1624 RED WING
Women's Oxford

Pg. 78

NEW

4173 RED WING
Women's Oxford

Pg. 78

NEW

4174 RED WING
Women's Oxford

Pg. 78

5530 WORX
Women's Oxford

Pg. 160

6106 WORX
Women's Slip-On

Pg. 160

1634 RED WING
Women's Athletic

EH

Pg. 78

NEW

1637 RED WING
Women's Athletic

Pg. 79

6364 WORX
Women's Athletic

Pg. 161

6365 WORX
Women's Athletic

Pg. 161

6554 WORX
Women's Athletic

Pg. 161

1626 RED WING
Women's 6-inch Boot

EH

Pg. 79

1627 RED WING
Women's 6-inch Boot

EH

Pg. 79

1681 RED WING
Women's 8-inch Boot

EH

Pg. 79

1698 RED WING
Women's 9-inch Logger

Pg. 80

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones

26 STYLES

PUNCTURE RESISTANT



PR

ADDITIONAL PROTECTION FROM UNDERFOOT HAZARDS USING AN INTEGRAL PROTECTIVE MATERIAL THAT MEETS ASTM REQUIREMENTS.

MEN'S

3533 RED WING
Men's Oxford

ST EH PR

Pg. 9

3510 RED WING
Men's 6-inch Romeo

NT EH PR

Pg. 15

NEW

3501 RED WING
Men's 5-inch Hiker Boot

NT EH PR

Pg. 16

NEW

3502 RED WING
Men's 5-inch Hiker Boot

NT EH PR

Pg. 16

NEW

3506 RED WING
Men's 6-inch Boot

NT EH PR

Pg. 22

NEW

3507 RED WING
Men's 6-inch Boot

ST EH PR

Pg. 23

3523 RED WING
Men's 6-inch Boot

ST EH PR

Pg. 23

3526 RED WING
Men's 6-inch Boot

ST EH PR

Pg. 23

3535 RED WING
Men's 6-inch Boot

ST EH PR

Pg. 23

5800 WORX
Men's 6-inch Boot

ST EH PR

Pg. 148

2412 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 28

2414 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 28

3508 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 29

3511 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 30

3512 RED WING
Men's 8-inch Boot

NT EH PR

Pg. 30

NEW

3528 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 30

3539 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 31

3568 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 31

ST Steel Toe / Casco de Acero
AT Aluminum Toe / Casco de Aluminio
NT Non-Metallic Toe / Casco No Metálico
EH Electrical Hazard / Di-Eléctrico
PR Puncture Resistant / Resistente a las Perforaciones



4273 RED WING
Men's 8-inch Boot

ST EH PR

Pg. 32

4473 RED WING
Men's 8-inch Boot

ST PR

Pg. 33

5801 WORX
Men's 8-inch Boot

ST EH PR

Pg. 149

3527 RED WING
Men's 9-inch Boot

AT EH PR

Pg. 30

NEW

3548 RED WING
Men's 9-inch Boot

NT EH PR

Pg. 31

NEW

3505 RED WING
Men's 11-inch Pull-On

ST EH PR

Pg. 39

3530 RED WING
Men's 8-inch Boot

NT EH PR MT

Pg. 41

NEW

WOMEN'S

3540 RED WING
Women's 5-inch Boot

NT EH PR

Pg. 48

NEW